TOWN OF DUBLIN

PO Box 277 Dublin, NH 03444



Gravel Excavation Application

Case #	
Date Rec _	
Time Rec	
Amt due	

1.	Applicant(s) Name	Phone	
		Phone	
Apı		E-mail	
		E-mail	
2.	If applicant is not the owner, agent.	a notarized letter from the owner indicating that the applicant	t is the designated
	1 1	existing excavation (Town road, Tax Map and Lot numbers) Map	_ Lot
4.		sting operation: if existing, date of commencement. Da	te
5.		ent list of names and mailing addresses of abutters, taken from	
6.	Attached Excavation and Rec	clamation Plans.	
7.	Attached any local, state or fe	ederal permits as required.	
Sig	the best of my knowledge enature of Applicant(s) _ _	e.	
		+++++++++++++++++++++++++++++++++++++++	
		By	
		Signed by Planning	Board Chair
3			
4			
5			
6			
9.	Date of denial	By Signed by Planning	Doord Chair
Rea	sons for denial: 1	Signed by Planning	Doard Chair
2			
3			
4			
5			
6			

TOWN OF DUBLIN

PO Box 277 Dublin, NH 03444



Application Checklist Excavation Plan (Scale: 1" = 100')

1. A signed and dated application form.	Ц
2. Copies of any required permits.	
3. Name and address of owner, excavator, and all abutters.	
4. Seal and signature of licensed surveyor or engineer.	
5. Sketch and description of the location and boundaries of proposed and any existing excavations in square feet and acres, and the municipalities involved	ed. 🗆
6. Zoning district boundaries of excavation area and within 200 feet of the area bour	ndary.□
7. Lot lines, public streets, driveways, intersections, rights-of-way, and all easements within 200 feet of the excavation.	
8. Location of existing buildings, structures, septic systems and wells within 200 feet of the excavation.	
9. Topography at contours intervals of five feet or less.	
10. All surface drainage patterns including wetlands and standing water.	
11. Sketch and description of existing and proposed access roads, including width and surface materials.	
12. Breadth, depth and slope of the proposed excavation.	
13. Elevation of the highest annual average ground water table within or next to the proposed excavation.	
14. Test pit data or log of borings to within either the seasonal high water table or a minimum of six feet below the proposed excavation depth.	
15. Fencing, buffers, or other visual barriers, including height and materials.	
16. Measures to control erosion and sedimentation, water and air pollution, and any hazards to public safety.	

TOWN OF DUBLIN

PO Box 277 Dublin, NH 03444



Excavation Checklist

1.	The excavation is permitted in the zoning ordinance.	
2.	The excavation is within 50 feet of an approving abutter or 10 feet of a disapproving abutter.	
3.	The excavation will not be unduly hazardous to the public welfare.	
4.	Existing visual barriers will not be removed, except to gain access to the excavation.	
5.	The excavation will not substantially damage a known aquifer.	
6.	The excavation is not closer than 150 feet to an existing dwelling or to a site for which a building permit has already been issued.	
7.	The excavation is not below road level within 50 feet of the public right-of-way.	
8.	Vegetation is maintained within the peripheral areas of items 6 and 7 above.	
9.	Fuels, lubricants, etc. are not stored on the site.	
10	e. If temporary slopes exceed a 1:1 grade, an appropriate barricade is provided for.	
11	. The excavation will not cause the accumulation of freestanding water for prolonged periods of time.	

TOWN OF DUBLIN

PO Box 277 Dublin, NH 03444



Application Checklist Reclamation Plan (Scale: 1" = 100")

1.	Seal and signature of a licensed surveyor or engineer.	
2.	All boundaries of the area proposed for reclamation, and the land within 200 feet of these boundaries.	
3.	Final topography at contour intervals of five feet or less.	
4.	Final surface drainage pattern.	
5.	Timetable as to fully-depleted sites within the project area.	
6.	Schedule of final reclamation activities, including seeding mixtures, cover vegetation, fertilizer types and application rates.	

TOWN OF DUBLIN

PO Box 277 Dublin, NH 03444



Reclamation Checklist

1.	Tree seedlings will be planted in areas visible from a public way to replace trees that were removed.	
2.	All disturbed areas will be re-seeded.	
3.	Provision is made for the removal of all stumps and other debris.	
4.	Slopes will be graded according to the soil type, and will not be left steeper than 2:1.	
5.	No standing bodies of water created by the excavation will be left if they create a public hazard.	
6.	The topography will be left so that drainage reverts to its original points and proportions of flow.	